

Revision date: 2016/06/17 Page: 1/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Neodecanoyl chloride

Recommended use of the chemical and restriction on use

Recommended use*: Chemical

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Molecular formula: C10 H19 O CI

Synonyms: 7,7-Dimethyl Octenoyl Chloride Use: Only to be used as intermediate

according to the REACH Regulation (EC) No 1907/2006, art. 18.

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Flam. Liq. 4 Flammable liquids
Met. Corr. 1 Corrosive to metals
Acute Tox. 1 (Inhalation - vapour) Acute toxicity
Acute Tox. 4 (oral) Acute toxicity

Skin Corr./Irrit. 1B Skin corrosion/irritation

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Skin Sens. 1 Skin sensitization

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2016/06/17 Page: 2/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word: Danger

Hazard Statement:

H227 Combustible liquid.

H290 May be corrosive to metals.

H330 Fatal if inhaled. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P260 Do not breathe dust/gas/mist/vapours.

P284 In case of inadequate ventilation wear respiratory protection.
P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash with plenty of water and soap thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P234 Keep only in original container.

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P390 Absorb spillage to prevent material damage.

P370 + P378 In case of fire: Use extinguishing powder, foam or CO2 for extinction.

Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.

P233 Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS):

Corrosive to the respiratory tract.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
40292-82-8	>= 75.0 - <= 100.0%	neodecanoyl chloride
7647-01-0	>= 0.02 - <= 0.1%	hydrochloric acid

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

If on skin:

Wash affected areas with water while removing contaminated clothing. Remove contaminated clothing. Immediate medical attention required. Wash soiled clothing immediately.

If in eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Immediate medical attention required.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

Revision date : 2016/06/17 Page: 4/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

dry powder, carbon dioxide, alcohol-resistant foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Hydrogen chloride, carbon oxides, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Avoid direct contact with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Breathing protection is mandatory. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Substance/product is RCRA hazardous due to its properties. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Protect against moisture.

Handle in accordance with good industrial hygiene and safety practice. Remove contaminated clothing and protective equipment before entering eating areas. Hands and/or face should be washed before breaks and at the end of the shift. When using do not eat, drink or smoke.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Avoid extreme heat. Keep container tightly closed and dry; store in a cool place. Keep away from sources of ignition - No smoking.

Revision date : 2016/06/17 Page: 5/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

Storage stability:

Storage duration: 12 Months

From the data on storage duration in this safety data sheet no agreed statement regarding the

warrantee of application properties can be deduced.

Protect against moisture.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

hydrochloric acid OSHA PEL CLV 5 ppm 7 mg/m3; CLV 5 ppm 7 mg/m3;

ACGIH TLV CLV 2 ppm;

Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen based on level of activity and exposure.

full protection suit with breathing-air supply (f.e. according to EN 943)

General safety and hygiene measures:

Wear protective clothing as necessary to prevent contact. Do not inhale gases/vapours/aerosols. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Store work clothing separately. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: liquid

Odour: pungent odour
Odour threshold: not determined
Colour: colourless
No determined

pH value: No data available.

Melting point: < -50 °C
Boiling point: 100 °C
(28 mbar)

Flash point:

86.5 °C (DIN EN 22719; ISO

2719)

Flammability: Combustible liquid.

Lower explosion limit: 5.4 %(V) Upper explosion limit: 9.9 %(V)

Autoignition: 353 °C (DIN EN 14522)

Revision date: 2016/06/17 Page: 6/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

Vapour pressure: 2 mbar

(51 °C)

Density: 0.95 g/cm3

(20 °C)

Relative density: 0.9513 (OECD Guideline

(20 °C) 109)

Partitioning coefficient n- 3.90 (calculated)

octanol/water (log Pow): (25 °C)
Information on: Neodecanoic acid

Partitioning coefficient n- 3.83 (OECD Guideline

octanol/water (log Pow): (25 °C) 117)

Self-ignition Based on its structural properties the temperature: product is not classified as self-

igniting.

Thermal decomposition: 350 °C, > 140 kJ/kg (DSC (DIN 51007))

Thermal decomposition above the indicated temperature is

possible. It is not a self-decompositionable substance.

Viscosity, dynamic: 2.42 mPa.s

(20°C)

Particle size: The substance / product is marketed

or used in a non solid or granular

form.

Molar mass: 190.71 g/mol

Evaporation rate: Value can be approximated from

Henry's Law Constant or vapor

pressure.

10. Stability and Reactivity

Reactivity

Corrosion to metals:

Corrosive effect on metals.

Reactions with

Reaction with:

water

water/air:

Flammable gases: no Toxic gases: yes

Which toxic gases: hydrogen chloride (HCI)

Corrosive gases: yes

Which corrosive gases: hydrogen chloride (HCI)

Smoke or fog: yes

Type of smoke or fog: Hydrochloric acid

Which Peroxides:

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Revision date: 2016/06/17 Page: 7/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

Avoid direct sunlight. Avoid electro-static charge. Avoid humidity. Avoid heat. Avoid prolonged storage. Disregard of the conditions mentioned may result in undesirable decomposition reactions.

Incompatible materials

bases, alkaline reactive substances, amines, water, alcohols

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: Hydrogen chloride

Thermal decomposition: 350 °C (DSC (DIN 51007))

Thermal decomposition above the indicated temperature is possible. It is not a self-decompositionable substance.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of very high toxicity after short-term inhalation.

Oral

Type of value: LD50 Species: rat (male/female)

Value: 1,760 mg/kg (OECD Guideline 401) The substance was tested in olive oil.

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: approx. 0.4 mg/l (OECD Guideline 403)

Exposure time: 4 h
The vapour was tested.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Corrosive! Damages skin and eyes.

Skin

Species: rabbit Result: Corrosive.

Method: OECD Guideline 404

Revision date : 2016/06/17 Page: 8/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

Eye

Result: Risk of serious damage to eyes.

As the product corrodes the skin, it can be expected to have a similar effect on the eyes also.

Sensitization

Assessment of sensitization: Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: sensitizing

Method: OECD Guideline 429

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No data available.

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity: No data was available concerning carcinogenic activity.

Reproductive toxicity

Assessment of reproduction toxicity: No data available.

<u>Teratogenicity</u>

Assessment of teratogenicity: No data available.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Medical conditions aggravated by overexposure

Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product. See MSDS section 11 - Toxicological information.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms.

Toxicity to fish

LC50 (96 h) 138 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

Revision date: 2016/06/17 Page: 9/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

The statement of the toxic effect relates to the analytically determined concentration. The product may hydrolyse. The test result maybe partially due to degradation products. The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample. After neutralization no appreciable reduction in harmful effect can be observed.

LC50 (96 h) 37.2 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Aquatic invertebrates

EL50 (48 h) 47.1 mg/l, Daphnia magna (static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Literature data. The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Aquatic plants

EC50 (72 h) 388 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201) The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from the properties of the hydrolysis products. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Literature data.

No observed effect concentration (72 h) 226 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from the properties of the hydrolysis products. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Literature data.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria). Poorly biodegradable. The product has not been tested. The statement has been derived from the properties of the hydrolysis products. Literature data.

Elimination information

11 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

Assessment of stability in water

In contact with water the substance will hydrolyse rapidly.

Information on Stability in Water (Hydrolysis)

 $t_{1/2}$ < 0.5 h (0 °C, pH value 4), (OECD Guideline 111, pH 4)

Bioaccumulative potential

Bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible. The data refer to the uncharged form of the substance. The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Mobility in soil

Assessment transport between environmental compartments

Revision date: 2016/06/17 Page: 10/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

Additional information

Other ecotoxicological advice:

The product has not been tested. The statements has been derived from the properties of the hydrolysis products.

13. Disposal considerations

Waste disposal of substance:

Incinerate in a RCRA-licensed facility. Dispose of in a RCRA-licensed facility. Do not discharge into drains/surface waters/groundwater.

Container disposal:

Empty containers with less than 1 inch of residue may be landfilled at a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. If containers are not empty, they must be disposed of in a RCRA-licensed facility.

RCRA: D002

14. Transport Information

Land transport

USDOT

Hazard class: 6.1
Packing group: II
ID number: UN 2927

Hazard label: 6.1, 8
Proper shipping name: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (contains

NEODECANOYL CHLORIDE)

Sea transport

IMDG

Hazard class: 6.1 Packing group: II

ID number: UN 2927 Hazard label: 6.1, 8 Marine pollutant: NO

Proper shipping name: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (contains

NEODECANOYL CHLORIDE)

Air transport

IATA/ICAO

Hazard class: 6.1 Packing group: II

ID number: UN 2927 Hazard label: 6.1, 8

Proper shipping name: TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (contains

NEODECANOYL CHLORIDE)

Revision date: 2016/06/17 Page: 11/12 Version: 3.0 (30037027/SDS_GEN_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Fire; Acute; Reactivity

EPCRA 313:

CAS NumberChemical name7647-01-0hydrochloric acid75-44-5carbonyl chloride

CERCLA RQ
5000 LBSCAS Number
7647-01-0Chemical name
hydrochloric acid
carbonyl chloride10.0 LBS75-44-5carbonyl chloride

NFPA Hazard codes:

Health: 3 Fire: 2 Reactivity: 2 Special: -W-

HMIS III rating

Health: 3 Flammability: 2 Physical hazard:2

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Aquatic Acute 3 Hazardous to the aquatic environment - acute

Acute Tox. 1 (Inhalation - vapour) Acute toxicity
Acute Tox. 4 (oral) Acute toxicity

Skin Corr./Irrit.

1B

Skin corrosion/irritation
Flam. Liq.

4

Flammable liquids
Corrosive to metals

Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Skin Sens. 1 Skin sensitization

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/06/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2016/06/17 Page: 12/12
Version: 3.0 (30037027/SDS_GEN_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE, NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**